

From,

The Materials Manager,
Uttar Pradesh Jal Nigam,
6, Rana Pratap Marg,
Lucknow-226 001.

Speed Post

Factory Address:

M/s Electrotherm (India) Ltd.,
Survey No. 325, N.H. No. 8A,
Village - Samakhiyali, Bhachau,
Kachchh.

To,

M/s Electrotherm (India) Ltd.,
Survey No. 72, Palodia,
Via Thaltej, Ahmedabad.

(Factory Address is to be mentioned in
Excise Duty Exemption Certificate)

Letter No. 593 / Purchase /DI Pipe (Electrotherm) / (2121-0070) 2017/ 25 dated 13.04.17

Subject: **Supply of ISI Marked Socketted & Spigotted Centrifugally Cast (Spun) Ductile Iron Pressure Pipes against C.B. No. 30/MM/2016-17, dated 06/05/2016.**

Dear Sirs,

Please refer to this office allocation order as mentioned in Col-2 of enclosed *Annexure-A* vide which you were requested to supply the quantities of ISI Marked Ductile Iron Pressure Pipes conforming to **IS-8329/2000** or its latest amendment(s) to the consignee(s) as enlisted in Col-3 of *Annexure-A*. Quantity as given in Col-6 now stands diverted from earlier allocation as noted in Col-5.

Break up of total quantity of material as given in Col-6 is now rescheduled to be supplied to the consignee(s) enlisted in Col-7 & the quantities for the consignee(s) are given in Col-10.

D.I. pipes allocated herein shall be dispatched only after proper Inspection, Testing, Certification & Marking by M/s S.G.S. India Pvt. Ltd., Gurgaon. For carrying out such inspection, the charges of Third Party Inspection Agency shall be borne by you @ **0.47%(plus service tax as applicable on inspection charges)** of ordered Ex-Works cost of pipes i.e. cost including Excise Duty but exclusive of Central Sales Tax & Freight.

Inspection Certificate & Inspection Report issued by M/s S.G.S. India Pvt. Ltd., shall invariably be attached with dispatch documents of the consignees.

The material is to be supplied by road transport only.

The material should be supplied if your license for ISI Marking is valid on the date of supply of material.

EXCISE DUTY EXEMPTION CERTIFICATE AS PER GOVERNMENT NOTIFICATION NO. 12/2012 CENTRAL EXCISE DATED 17/03/2012 ISSUED BY DISTRICT MAGISTRATE WILL BE PROVIDED BY THE CONSIGNEE, HENCE EXCISE DUTY IS NIL.

Rest all terms & conditions of the original allocation orders will remain unaltered.

Please acknowledge receipt of this letter.

Yours faithfully,

Encl : Annexure-A.

(SAMIR GOVIL)
MATERIALS MANAGER

Endt. No. & date : As above.

Copy of the above along with a copy of the original allocation orders forwarded to the following for information & necessary action:

- 1 Chief Engineer (Varanasi/Allahabad/Gorakhpur/Moradabad Zone), U.P.Jal Nigam
Varanasi/Allahabad/Gorakhpur/Moradabad Zone .
2. Concerned Superintending Engineer(s)/ General Manager(s), U.P. Jal Nigam.
3. Executive Engineer(s) as detailed in Col.-7 of Annexure-A with the remarks that they should issue supply order along with dispatch instructions mentioning the name of destination station, location of godown, banker's name etc. to the firm under intimation to this office. **They are also required to furnish Excise Duty Exemption Certificate as per Government Notification No. 12/2012 Central Excise Dated 17/03/2012, issued by District Magistrate, to the firm, along with dispatch instructions.**

The material should only be accepted by them if it is dispatched after proper inspection, testing, certification & marking by M/s S.G.S. India Pvt. Ltd., Gurgaon. **They should also check that the inspection report & Original inspection certificate issued by the inspecting agency (S.G.S. India Pvt. Ltd.,) is invariably attached with dispatch documents of each consignment.**

